


CLAIMS

1. A compound of formula (I):




Het is a 5- or 6-membered heterocyclic ring containing one to three heteroatoms,
 5 each independently selected from oxygen, nitrogen and sulphur, the ring being
 substituted by groups R^4 , R^5 and R^6 ; R^1 is hydrogen or halo; R^2 is hydrogen or
 halo; R^3 is optionally substituted C_{2-12} alkyl, optionally substituted C_{2-12} alkenyl,
 optionally substituted C_{2-12} alkynyl, optionally substituted C_{3-12} cycloalkyl,
 optionally substituted phenyl or optionally substituted heterocyclyl; and R^4 , R^5
 10 and R^6 are, independently, selected from hydrogen, halo, cyano, nitro, C_{1-4} alkyl,
 C_{1-4} haloalkyl, C_{1-4} alkoxy(C_{1-4})alkyl and C_{1-4} haloalkoxy(C_{1-4})alkyl, provided
 that at least one of R^4 , R^5 and R^6 is not hydrogen.

2. A compound of formula (I) as claimed in claim 1 where Het is pyrrolyl,
 15 pyrazolyl, thiazolyl, pyridinyl, pyrimidinyl, thiophenyl, furyl, isothiazolyl or
 isoxazolyl, each being substituted by groups R^4 , R^5 and R^6 .
3. A compound of formula (I) as claimed in claim 1 or 2 where R^1 is hydrogen or
 fluoro.
- 20 4. A compound of formula (I) as claimed in claim 1, 2 or 3 where R^2 is hydrogen or
 fluoro.
5. A compound of formula (I) as claimed in claim 1, 2, 3 or 4 where R^3 is
 25 C_{2-6} alkyl, optionally substituted C_{3-8} cycloalkyl, phenyl, thienyl or furyl.

6. A compound of formula (I) as claimed in claim 1, 2, 3, 4 or 5 where R^4 , R^5 and R^6 are, independently, selected from hydrogen, halogen, C_{1-4} alkyl, C_{1-4} haloalkyl and C_{1-4} alkoxy(C_{1-4})alkyl; provided that at least one of R^4 , R^5 and R^6 is not hydrogen.


5

7. A compound of formula (II):




where R^3 is as defined in claim 1 or 5.

- 10 8. A process for preparing a compound of formula (II) as claimed in claim 7 which comprises a step using a Pd(II)catalyst-ligand-system where the ligand is selected from a suitable sterically demanding phosphine to react a compound of formula (XI)



15

with benzophenone imine optionally in the presence of a base to produce a compound of formula (XII)



20

where Hal is bromo or iodo; and R^3 is as defined in claim 7.

9. A composition for controlling microorganisms and preventing attack and infestation of plants therewith, wherein the active ingredient is a compound of formula (I) as claimed in claim 1 together with a suitable carrier.
- 5 10. A method of controlling or preventing infestation of cultivated plants by phytopathogenic microorganisms by application of a compound of formula (I) as claimed in claim 1 to plants, to parts thereof or the locus thereof.